Hydrobiologia

The International Journal of Aquatic Sciences

Volume 513, 1 February 2004

Opinion

Size polymorphism in *Oncaea venusta* Philippi, 1843 and the validity of *O. frosti* Heron, 2002: a commentary
R. Böttger-Schnack, R. Huys 1–5

Regular articles

The palaeolimnological potential of diatom assemblages in floodplain lakes of the Danube Delta, Romania: a pilot study
H. Cremer, A.D. Buijse, A.F. Lotter, W. Oosterberg, M. Staras 7–26

Response of phytoplankton communities to salinity changes – a mesocosm approach
R. Pilkaitytë, A. Schoor, H. Schubert 27–38

Temporal and spatial distribution of microcrustacean zooplankton in relation to turbidity and other environmental factors in a large tropical lake (L. Tana, Ethiopia)
E. Dejen, J. Vijverberg, L.A.J. Nagelkerke, F.A. Sibbing 39–49

Benthic invertebrate assemblage change following dam removal in a Wisconsin stream
A.I. Pollard, T. Reed 51–58

Induction of both acid and alkaline phosphatase activity in two green-algae (chlorophyceae) in low N and P concentrations
M.M. Kruskopf, S. Du Plessis 59–70

Diel variations of phytoplankton and bacterioplankton production rates in four tropical lakes in the middle Rio Doce basin (southeastern Brazil)
M.M. Petrucio, F.A.R. Barbosa 71–76

Persistence and colonization strategies of playa wetland invertebrates
J.T. Anderson, L.M. Smith 77–86

Salinity effects on maturation, reproductive and life span characteristics of four Egyptian *Artemia* populations (International Study on *Artemia*. LXVIII)
A.D. Baxevanis, N. El-Bermawi, T.J. Abatzopoulos, P. Sorgeloos 87–100

Palaearctic gastropod gains a foothold in the dominion of endemics: range expansion and morphological change of *Lymnaea (Radix) auricularia* in Lake Baikal
M. Stift, E. Michel, T.Y. Sitnikova, E.Y. Mamonova, D.Y. Sherbakov 101–108

Biometrical key-characters for species separation during ontogenesis in fairy shrimps (Crustacea, Anostraca
P. Zarattini, G. Mura 109–119

The influence of Dworshak Dam on epilithic community metabolism in the Clearwater River, U.S.A.
M.D. Munn, M.A. Brusven 121–127

Hydrologic variability, water chemistry, and phytoplankton biomass in a large floodplain of the Sacramento River, CA, U.S.A.
L.E. Schemel, T.R. Sommer, A.B. Müller-Solger, W.C. Harrell 129–139

Diel vertical migration of major fish-species in Lake Victoria, East Africa
K.(P.C.) Goudswaard, J.H. Wanink, F. Witte, E.F.B. Katunzi, M.R. Berger, D.J. Postma 141–152

Relationships between the isotopic composition of dissolved organic carbon and its bioavailability in contrasting Ozark streams
S.E. Ziegler, S.L. Brisco 153–169

Patterns of spatial resource use in lotic invertebrate assemblages
R.G. Death 171–182

Spatial-temporal distribution of preimaginal blackflies in Neotropical streams
J.W. McCreadie, N. Hamada, M.E. Grillet 183–196

Atyid shrimps of the genus *Paracaridina* (Crustacea, Decapoda, Atyidae) from Hunan Province, China
Z.-L. Guo, S. De Grave 197–204

Interannual variability in the seasonal plankton succession of a shallow, warm-water lake
D. Roelke, Y. Buyukates, M. Williams, J. Jean 205–218

Spatial and seasonal variations in size, body volume and body proportion (prosome: urosome ratio) of the copepod *Acartia tonsa* in a semi-closed ecosystem (Berre lagoon, western Mediterranean)
R. Gaudy, G. Verriopoulos 219–229

Biopotentials of secondary metabolites isolated from marine sponges
J. Selvin, A.P. Lipton 231–238

Short research notes

Feeding preference of *Littorina* snails (Gastropoda) for bleached and photosynthetic tissues of the seaweed *Mazzaella parksii* (Rhodophyta)
C. Heaven, R. Scrosati 239–243

Rapid colonization of a newly created habitat by cladocerans and the initial build-up of a *Daphnia*-dominated community
G. Louette, L. De Meester 245–249

Antifouling activity of bioactive substances extracted from *Holothuria scabra*
J. Selvin, A.P. Lipton 251–253

Zoospore adhesion and germination upon non-toxic substances in *Pseudulvella* sp. (Chlorophyta)
M.V. Sánchez Puerta, P.I. Leonardi, E.J. Cáceres 255–258